


Cub Cadet

Power Equipment

ATTACHMENT GUIDE



This booklet lists the many attachments that are designed specifically for your Cub Cadet riding equipment. It provides detailed information on mowing, mulching, grass collection, snow removal, gardening and other accessories to make your yard chores easier.

RIDERS
LAWN TRACTORS
SERIES 2000 TRACTORS
GARDEN TRACTORS
SUPER GARDEN TRACTORS

This attachment guide provides detailed information on the many Cub Cadet attachments you can purchase for your Cub Cadet riding mower, lawn tractor, series 2000 tractor, garden tractor or super garden tractor to make your outside chores easier.

The index pages are printed in light blue. Use these pages to find the attachment for your piece of riding equipment. The detailed information on that particular item will be found on the pages following the index. For example, the index for the lawn tractors begins on page 7. If you want a mowing deck for a model 1430 you will find you have a choice of 38", 44" or 46" deck. If you turn to page 9, you will find additional information such as type of spindle bearings, number of blades, number of gauge wheels, if a bagger adapts to it and many other items of information.

Starting on page 51 is a section explaining the installation of older attachments on older tractors, older attachments on new tractors and new attachments on older tractors.

All the items listed in this booklet are available through your authorized Cub Cadet dealer and are covered by the Cub Cadet two year limited (one year commercial) warranty. See your dealer for additional warranty information.

NOTE TO CUB CADET DEALERS: All numbers that are referred to as "Model Numbers" such as 190-222 Sweeper are ordered through the Cub Cadet Sales Department. All numbers that are referred to as "Part Numbers" such as 759-3422 Windbreaker are ordered through the Cub Cadet Parts Depot.

Power Equipment**RIDER APPLICATION CHART**

Rear Baggers	PG 3
Sweepers	PG 4
Mulching Kits	PG 4
Tine De-Thatcher	PG 5
Cart, 10 cu. ft.	PG 6

LAWN TRACTOR APPLICATION CHART

Mowing Decks	PG 7-8
Mulching Kits	PG 9
Tine De-Thatcher	PG 10
Rear Baggers	PG 10
Snow Blade 42"	PG 11
Tire Chains	PG 12
Rear Wheel Weights	PG 12
Snow Thrower 40"	PG 13
Wind Breakers	PG 13
Wheel Covers	PG 14
Sweepers	PG 23
Carts, 10 cu. ft.	PG 23

SERIES 2000 TRACTOR APPLICATION CHART

Mowing Decks	PG 15-16
Rear Baggers	PG 17
Mulching Kits	PG 18
Snow Blade 42"	PG 19
Front/Rear Weight Bracket	PG 20
Tire Chains	PG 20
Wheel Covers	PG 21
Ag Tires	PG 21
Rotary Tiller	PG 21
Snow Thrower 40"	PG 22
Sweepers	PG 22
Carts, 10 cu. ft.	PG 23

GARDEN TRACTOR APPLICATION CHART

Mowing Decks	PG 25-28
Rear Baggers	PG 29
Mulching Kits	PG 29
Tire Chains	PG 30
Snow Blade 42" and 54"	PG 30
Snow Thrower 45"	PG 31
Windbreakers and Cabs	PG 31
Weights	PG 32
Spring Assist for Mechanical Lifts	PG 33
Hydraulic Angle Kit & Front Outlets	PG 34
Wheel Covers	PG 34
Rear Hitches	PG 35
Rotary Tiller 8 H.P.	PG 36
Ag Tires	PG 36
Carts 10 and 17 cu. ft.	PG 36
Sweepers	PG 48
Roller - 36"	PG 48
Lawn Aerator	PG 49
Broadcast Spreader	PG 49
Moldboard Plow - 12"	PG 49
Tandem Disc Harrow	PG 50
Spring Shank Cultivator	PG 50

Power Equipment

SUPER GARDEN TRACTOR APPLICATION CHART PG 37-39

Mowing Decks	PG 40
Rear Baggers	PG 40
Mulching Kits	PG 30
Snow Thrower 45"	PG 41
Snow Blade 54"	PG 41
Weights	PG 42
Hydraulic Angle Kit & Front Outlets	PG 43
Tire Chains	PG 43
Ag Tires	PG 43
Wheel Covers	PG 44
"A" Frame Adapter	PG 44
Rotary Cutter - Rear Mounted - 42"	PG 44
Three-Point Hitch & Rear PTO	PG 45
Rotary Tiller - PTO Driven - 42"	PG 45
Windbreakers & Cabs	PG 46
Carts 10 and 17 cu. ft.	PG 48
Sweepers	PG 48
Roller - 36"	PG 49
Lawn Aerator	PG 49
Broadcast Spreader	PG 49
Moldboard Plow - 12"	PG 50
Tandem Disc Harrow	PG 50
Spring Shank Cultivator	PG 50

Rotary Mower Adapting Packages PG 51

Rotary Tiller Adapting Packages PG 52-53

Snow Thrower Cross Reference PG 54

Power Equipment

RIDER MODEL NO.	MOWER SIZE	ATTACHMENT DESCRIPTION	ATTACHMENT MODEL NO.	NOTES
800	30"	GRASS CATCHER 10 CU. FT. CART 32" SWEEPER DE-THATCHER 32" MULCHING KIT	190-310 190-653 190-220 190-339 190-093	TWIN BAGS
802	30"	10 CU. FT. CART 32" SWEEPER DE-THATCHER 32"	190-653 190-220 190-339	
804	32"	GRASS CATCHER 10 CU. FT. CART 32" SWEEPER DE-THATCHER 32"	190-310* 190-653 190-220 190-339	TWIN BAGS
830	30"	10 CU. FT. CART 32" SWEEPER DE-THATCHER 32"	190-653 190-220 190-339	
1002	32"	GRASS CATCHER 10 CU. FT. CART 32" SWEEPER DE-THATCHER 32"	190-310 190-653 190-220 190-339	TWIN BAGS
1030	30"	GRASS CATCHER 10 CU. FT. CART 32" SWEEPER DE-THATCHER 32" MULCHING KIT	190-310 190-653 190-220 190-339 190-093	TWIN BAGS
1106	38"	GRASS CATCHER 10 CU. FT. CART 32" SWEEPER 38" SWEEPER DE-THATCHER 32" MULCHING KIT	190-310* 190-653 190-220 190-222 190-339 190-096	TWIN BAGS
1208	38"	GRASS CATCHER 10 CU. FT. CART 32" SWEEPER 38" SWEEPER DE-THATCHER 32" MULCHING KIT	190-310 190-653 190-220 190-222 190-339 190-096	TWIN BAGS
1238	38"	GRASS CATCHER 10 CU. FT. CART 32" SWEEPER 38" SWEEPER DE-THATCHER 32" MULCHING KIT	190-310 190-653 190-220 190-222 190-339 190-096	TWIN BAGS



Power Equipment

190-310* **Rear Discharge** **Grass Catcher**

Large 6.5 bushel capacity for longer mowing with fewer interruptions to empty clippings. Twin heavy-duty "tight weave" nylon bags will last for years and are mildew resistant.

Using plastic garbage bags as inserts, you can drive your rider from the lawn to the curb, remove the grass filled inserts, replace with fresh ones, and continue mowing.

No more piles of loose grass. No more raking. The collection unit is constructed of durable, molded ABS plastic for years of service. The big 7-inch diameter side discharge tube, made of high-density polyethylene, resists clogging and transfers wet or dry clippings from the mower deck to the collection bags for an even fill.



190-220 **Sweeper 32\" Swath**

190-222 **Sweeper 38\" Swath**

Housing/Frame:	Heavy Ga. Steel Construction	Heavy Ga. Steel Construction
Hopper/Bag:	Heavy Ga. Zinc Plated Steel Tubing Frame with Replaceable Vinyl Bag, Dumps from the Seat	Heavy Ga. Zinc Plated Steel Tubing Frame with Replaceable Vinyl Bag, Dumps from the Seat
Windscreen:	Vinyl Cover Furnished	Vinyl Cover Furnished
Capacity:	Approx. 10 Cu. Bu.	Approx. 12 Cu. Bu.
Brushes:	32\" Swath with Four Large (10\") Replaceable Poly Brushes	38\" Swath with Four Large (12\") Replaceable Poly Brushes
Brush to Wheel Ratio:	4.25:1	4.25:1
Height of Adj.:	Infinite Brush Height Adjustment with Slide Control Knob	Infinite Brush Height Adjustment with Slide Control Knob
Tires:	Oversize 10\" x 2\" Semi-pneumatic	Oversize 11\" x 2.5\" Semi-pneumatic
Hub Caps:	None	Yes—Zinc Plated Steel
Width O.A.:	Approx. 38\"	Approx. 47\"
Finish:	Baked Enamel	Baked Enamel
Shipping Weight:	63 Pounds	92 Pounds

AS LAWNS CONTINUE TO GROW, SO DO LANDFILLS. AS A RESULT, MANY COMMUNITIES NO LONGER PROVIDE PICKUP OF GRASS REFUSE. AND EVERY YEAR, MORE COMMUNITIES JOIN THE LIST. SO WHAT DO YOU DO WITH YOUR CLIPPINGS? CUB CADET MULCHING KITS PROVIDE AN ALTERNATIVE TO BAGGING.

USING YOUR MULCHING ATTACHMENT



For effective mulching, do not cut wet grass because it tends to stick to the underside of the mower deck, preventing proper mulching of grass clippings. New or thick grass may require a narrower cut. The ground speed should be adjusted to the condition of the lawn. If mowing has been delayed and the grass has been allowed to grow in

excess of 4", using your mulcher attachment is not recommended. Use the standard blade to reduce the grass height to 3.25" maximum before mulching.

This attachment is designed to be operated at full throttle to give you the best cut and do the most effective job of mulching.

190-096 Mulcher Kit For 38" Decks

Turn your 38" twin bladed deck into a mulching mower. The kit consists of two short mulching blades, chute baffle and all necessary hardware. Models 1106 and 1208 require one hole be drilled in the deck for the chute baffle.



190-093 Mulcher Kit For 30" Decks

Turn your 30" deck into a mulching mower. The kit consists of the eight bladed mulcher blade assembly, chute baffle and all necessary hardware.


Power Equipment**190-339
Tine De-Thatcher 32"**

All steel construction.

8-Spring Steel 16 Teeth 17/32" Dia.

7" Dia. x 1-3/4" Semi-pneumatic with 5/8" Bearings

Baked Enamel—Black

**190-653
10 Cubic Foot Cart**

- Bed:** 18 Ga. Steel Construction—32-1/2" W; 49" L; 12" H; Approx. Inside Dim.—30" x 46-1/2"
- Tailgate:** Removable with Reinforced Guides
- Tires:** 16.00" x 4.00" Pneumatic, Rib Tread
- Axle:** 3/4" Dia. Steel
- Capacity:** Up to 750 Lbs. Maximum Capacity
- Finish:** Baked Enamel

MOWERS, MULCHERS, DE-THATCHERS & SWEEPERS—LAWN TRACTORS

MODEL NO.	DECK 32" 190-337 MECH PTO	DECK 38" 190-331 MECH PTO	DECK 38" 190-441 ELEC PTO	DECK 44" 190-392 ELEC PTO	DECK 46" 190-446 ELEC PTO	MULCHER 190-314 38" DECK ONLY	DE-THATCHER 32" 190-338	DE-THATCHER 38" 190-348	SWEEPER 32" 190-220	SWEEPER 38" 190-222
1015*	■						■		■	■
1020*	■						■		■	■
1315*		■				■		■	■	■
1320*		■				■		■	■	■
1225*						■		■	■	■
1325*			■			■		■	■	■
1330*			■			■		■	■	■
1405			■	■	■	■		■	■	■
1415			■	■	■	■		■	■	■
1420			■	■	■	■		■	■	■
1430			■	■	■	■		■	■	■
1715			■	■	■	■		■	■	■
1720			■	■	■	■		■	■	■
1730			■	■	■	■		■	■	■

*DECK STANDARD EQUIPMENT ON THESE TRACTORS.

BAGGERS

DECK SIZE	BAGGER MODEL NO.	BAGGER ADAPTER NO.	NOTES
32"	190-426 190-311	190-440 NONE	DEALER INVENTORY ONLY BAGGING BLADES STANDARD ON 32" DECK
38"	190-426 190-311	190-434 NONE	DEALER INVENTORY ONLY KIT CONTAINS HIGH LIFT BAGGING BLADES 38" DECK ONLY
46"	190-445 190-312	190-444 NONE	DEALER INVENTORY ONLY KIT CONTAINS HIGH LIFT BAGGING BLADES


Power Equipment

SNOW REMOVAL EQUIPMENT—LAWN TRACTORS

MODEL NO.	SNOW BLADE 42" 190-424	SNOW BLOWER 40" 190-350	REAR WHEEL WEIGHTS 290-215	REAR WHEEL CHAINS 759-3607	WINDBREAKER 759-3422 FUEL TANK UNDER HOOD*	WINDBREAKER 759-3353 FUEL TANK IN REAR FENDER**	TOP BOTH MODELS 759-3354	CURTAIN BOTH MODELS 759-3355
1015	■		■		■		■	■
1020	■		■		■		■	■
1315	■	■	■	■	■		■	■
1320	■	■	■	■	■		■	■
1225	■	■	■		■		■	■
1325	■	■	■	■	■		■	■
1330	■	■	■	■	■		■	■
1405	■	■	■	■	■	■	■	■
1415	■	■	■	■	■	■	■	■
1420	■	■	■	■	■	■	■	■
1430	■	■	■	■	■		■	■
1715	■	■	■	■	■	■	■	■
1720	■	■	■	■	■	■	■	■
1730	■	■	■	■	■	■	■	■

*SERIAL NUMBER 126,001 AND ABOVE WITH FUEL TANK UNDER HOOD

**SERIAL NUMBER 100,001 TO 147,087 WITH FUEL TANK IN REAR FENDER



190-331

190-337


190-392

190-441

190-446

Mowing Decks

All decks are semi-floating designed for a level, even cut over bumps and dips. The combination of the deck gauge wheels and the anti-scalp roller work with the four point suspension to prevent scalping. All decks except for the 44" deck have a grass and leaf collection attachment. See "Baggers" in the Lawn Tractor section.



MODEL NO.	SIZE	TYPE OF PTO	NO. OF HARDENED BLADES	STEEL GAUGE OF DECK	TAPERED SPINDLE BEARINGS	GREASABLE SPINDLE BEARINGS	NO. OF GAUGE WHEELS	ANTI-SCALP ROLLER	MAXIMUM WIDTH CHUTE RAISED	OPTIONAL BAGGER
190-337	32"	MANUAL	2	13 GA.	YES	YES	2	YES	44"	YES
190-331	38"	MANUAL	2	13 GA.	YES	YES	2	YES	50"	YES
190-441	38"	ELECTRIC	2	13 GA.	YES	YES	2	YES	50"	YES
190-392	44"	ELECTRIC	3	12 GA.	YES	YES	4	YES	57"	NO
190-446	46"	ELECTRIC	3	12 GA.	YES	YES	4	YES	53"	YES

AS LAWNS CONTINUE TO GROW, SO DO LANDFILLS. AS A RESULT, MANY COMMUNITIES NO LONGER PROVIDE PICKUP OF GRASS REFUSE. AND EVERY YEAR, MORE COMMUNITIES JOIN THE LIST. SO WHAT DO YOU DO WITH YOUR CLIPPINGS? CUB CADET MULCHING KITS PROVIDE AN ALTERNATIVE TO BAGGING.

USING YOUR MULCHING ATTACHMENT

For effective mulching, do not cut wet grass because it tends to stick to the underside of the mower deck, preventing proper mulching of grass clippings. New or thick grass may require a narrower cut. The ground speed should be adjusted to the condition of the lawn. If mowing has been delayed and the grass has been allowed to grow in



excess of 4", using your mulcher attachment is not recommended. Use the standard blade to reduce the grass height to 3.25" maximum before mulching.

This attachment is designed to be operated at full throttle to give you the best cut and do the most effective job of mulching.

190-314 Mulcher Kit For 38" Decks

Turn your 38" twin bladed deck into a mulching mower. The kit consists of two short mulching blades, chute baffle and all necessary hardware.

NOTE: On some decks it may be necessary to drill a 1/4" hole to mount the baffle.




190-338 190-348 De-Thatcher

Easily mounts to your lawn tractor to remove built up thatch in your lawn. Use the deck with the optional bagging attachment to pick up the dead grass.

MODEL NO.	WIDTH	DECK SIZE	NO. OF TINES (3/16" DIA.)	NO. OF TEETH	GA. WHEELS (SEMI-PNEU)	BAKED ENAMEL FINISH
190-338	32"	32"	8	16	7 x 1-3/4"	BLACK
190-348	38"	38, 44 & 46"	10	20	7 x 1-3/4"	BLACK


190-311 190-312 190-426 190-445 BAGGERS



Optional Twin Bagger

Cub Cadet baggers are designed specifically for use with the high-vacuum decks, which quickly and cleanly whisk clippings through the non-clogging side discharge tube and into the bags.

Made of durable, molded plastic, this collector has two easy to dump bags for the 32 and 38 inch decks and three easy to dump bags for the 46 inch decks so you can mow longer without stopping to empty clippings.



Optional Triple Bagger

You can also use plastic garbage bag inserts for easy, one step collection. When the plastic bags are full, just lift out and your job is finished.

DECK SIZE	BAGGER MODEL NO.	ADAPTER MODEL NO.	NO. OF BAGS	CAPACITY	NOTES
32"	190-426	190-440	2	6 BU.	DEALER INVENTORY ONLY BAGGING BLADES STANDARD ON 32" DECK
	190-311	NONE	2	6 BU.	
38"	190-426	190-434	2	6 BU.	DEALER INVENTORY ONLY
	190-311*	NONE	2	6 BU.	
46"	190-445	190-444	3	9 BU.	DEALER INVENTORY ONLY
	190-312*	NONE	3	9 BU.	

*BAGGER KIT CONTAINS HIGH LIFT BLADES FOR BAGGING.


190-424 42" Snow Blade

Cub Cadet spring trip front blades are year-round attachments. They grade loose soil and move snow. The blade has a spring loaded return to protect the blade and the tractor. The two springs are 1-1/2" by 8" long.

The two skid shoes are adjustable and replaceable. The scraper blade is also replaceable. The blade can be locked straight ahead or 30 degrees right and left. The blade is 15 inches high and is formed from 12 gauge steel that is protected with a baked enamel finish. The blade raises with the attachment lever.

NOTE: Chains and rear wheel weights are recommended.

The 42" Snow Blade will fit on all lawn tractors.



759-3607 Lawn Tractor Tire Chains


Use tire chains on your Cub Cadet lawn tractor when moving snow or loose soil.

These chains have cross links every two side links for additional traction. The cross-links are case hardened and the entire chain is zinc plated.

Heavy duty cross links every rib side links.

Tire Size: 20 x 10-8


Part Number: 759-3607



290-215 Wheel Weights

The rear wheel weights weigh 31 pounds each and assembly hardware is included.

Recommended for use with snow blade and snow thrower.



190-350 Snow Thrower 40"


Use on all lawn tractors equipped with 12 HP engine or higher. Model Number 190-350.

Designed to handle wet, dry or packed snow. The single stage snow thrower with its high speed auger will handle your snow throwing jobs. The chute can be pivoted 210 degrees from the operator's seat. The adjustable deflector controls the distance you throw the snow.

Replaceable skid shoes and scraper blade.

Front opening height—20"

Auger diameter—15-1/2"



Lift height—4-1/2"

Chute opening—6°

Chute rotation—210 degrees

Auger speed—1100 rpm

NOTE: Rear wheel weights and tire chains must be used.

759-3422 759-3353 Wind Breakers

Ride in full comfort while performing those cold weather chores. Heavy vinyl coated nylon material provides maximum protection from icy winds. Wrap-around windshield assures excellent visibility in all directions.



Shown With Optional Snow Thrower

Part Number	759-3422	Windbreaker
Part Number	759-3353	Windbreaker
Part Number	759-3354	Windbreaker Top
Part Number	759-3355	Windbreaker Rear Curtain


Less Top & Rear Curtain. **Fuel Tank Under Hood**

Less Top & Rear Curtain. **Fuel Tank Under Seat**

759-3699**Wheel Cover (set of 4)****Tractor****Wheel Cover
Set of 4**

Extra Retainers — 727-0425B

Dress up your lawn tractor with a set of four high impact Cub Cadet beige wheel covers.



Mowers, Mulchers, De-Thatchers & Sweepers — Series 2000 Tractors

Model No.	Deck 38" Std. Equip.	Deck 42" Std. Equip.	Deck 46" 190-300	Deck 48" 190-301	Mulcher (38" only) 190-314	Mulcher (42" only) 190-315	Mulcher (48" only) 590-502
AGS 2130	■				■		
HDS 2135	■				■		
AGS 2140		■				■	
HDS 2145		■				■	
AGS 2160			■	■			■
HDS 2165			■	■			■
HDS 2185			■	■			■

Model No.	Twin Bagger 38" & 42" Deck 190-305	Triple Bagger 46" Deck 190-306	Sweeper 32" 190-220	Sweeper 38" 190-222
AGS 2130	■		■	■
HDS 2135	■		■	■
AGS 2140	■		■	■
HDS 2145	■		■	■
AGS 2160		■	■	■
HDS 2165		■	■	■
HDS 2185		■	■	■

Power Equipment
SNOW REMOVAL EQUIPMENT, TILLERS & AG TIRES - SERIES 2000 TRACTORS

Model No.	Snow Blade 42" 190-302	Snow Blower 40" 190-303	Front/Rear Weight Bracket 190-307*	Rear Wheel Chains 759-3745	Rear Wheel Chains 759-3606
AGS 2130	■	■	■	■	
HDS 2135	■	■	■	■	
AGS 2140	■	■	■	■	
HDS 2145	■	■	■	■	
AGS 2160	■	■	■		■
HDS 2165	■	■	■		■
HDS 2185	■	■	■		■

* Holds up to four 42 pound weights, Part No. 759-3388.

NOTE: Snow blades and snow blowers will not be available until 6/01/94.

Model No.	Tiller w/ Electric Lift 28" 190-304	Ag Tires 23 x 8.5 x 12 (Optional) 190-299	Front/Rear Weight Brackets 190-307*
AGS 2130			■
HDS 2135			■
AGS 2140			■
HDS 2145			■
AGS 2160	■	■	■
HDS 2165	■	■	■
HDS 2185	■	■	■

* Holds up to four 42 pound weights, Part No. 759-3388, minimum of two weights required.


Power Equipment

38" Standard Deck Models AGS 2130 & HDS 2135


42" Standard Deck Models AGS 2140 & HDS 2145

190-300 46" Deck


190-301 48" Deck



Model No.	Size	No. of Hardened Blades	Steel Gauge of Deck	Tapered Spindle Bearings	Greasable Spindle Bearings	No. of Gauge Wheels	Anti-Scalp Roller	Maximum Width Chute Raised	Optional Bagger	Mulcher Kit
38" Std. Deck	38"	2	13 Ga.	Yes	Yes	2	Yes	50"	Yes	Yes
42" Std. Deck	42"	2	13 Ga.	Yes	Yes	2	Yes	49"	Yes	Yes
190-300	46"	3	12 Ga.	Yes	Yes	4	Yes	54"	Yes	No
190-301	48"	3	11 Ga.	Yes	Yes	4	Yes	51"	No	Yes



46" Deck, Model 190-300

**190-305 Twin Bagger
190-306 Triple Bagger**

Cub Cadet baggers are designed specifically for use with the high-vacuum decks, which quickly and cleanly whisk clippings through the non-clogging side discharge tube and into the bags.

Made of durable, molded plastic, this collector has two easy to dump bags for the 38 and 42 inch decks and three easy to dump bags for the 46 inch decks so you can mow longer without stopping to empty clippings.

You can also use plastic garbage bag inserts for easy, one step collection. When the plastic bags are full, just lift out and your job is finished.

Deck Size	Bagger Model No.	No. of Bags	Capacity
38 & 42"	190-305	2	6 Bu.
46"	190-306	3	9 Bu.

AS LAWNS CONTINUE TO GROW, SO DO LANDFILLS. AS A RESULT, MANY COMMUNITIES NO LONGER PROVIDE PICKUP OF GRASS REFUSE. AND EVERY YEAR, MORE COMMUNITIES JOIN THE LIST. SO WHAT DO YOU DO WITH YOUR CLIPPINGS? CUB CADET MULCHING KITS PROVIDE AN ALTERNATIVE TO BAGGING.

190-314—38"

190-315—42"

590-502—48"

Mulcher Kits


Using Your Mulching Attachment

For effective mulching, do not cut wet grass because it tends to stick to the underside of the mower deck, preventing proper mulching of grass clippings. New or thick grass may require a narrower cut. The ground speed should be adjusted to the condition of the lawn. If mowing has been delayed and the grass has been allowed to

NOTE: On some 38" decks it may be necessary to drill a 1/4" hole to mount the baffle.


grow in excess of 4", using your mulcher attachment is not recommended. Use the standard blade to reduce the grass height to 3.25" maximum before mulching.

This attachment is designed to be operated at full throttle to give you the best cut and do the most effective job of mulching.



**38" & 42"
Mulcher
Kit Shown**

Deck Size	Deck Model No.	Mulcher Kit
38"	Std. Equip.	190-314
42"	Std. Equip.	190-315
48"	190-301	590-502


Power Equipment**190-302****42" Snow Blade**

Cub Cadet spring trip front blades are year-round attachments. They grade loose soil and move snow. The blade has two spring loaded returns to protect the blade and the tractor.

The two skids are adjustable and scraper blade is replaceable. The blade can be locked straight ahead or 30 degrees right or left from the operator's position.


The blade is 13-1/2" high and is formed from 13 gauge steel that is protected with a baked enamel finish. The blade raises using the implement lift on the left fender. Maximum lift height is 7" with the blade in the straight position.

NOTE: Chains and rear weight bracket with suitcase weights must be used to obtain good traction.

**190-307****Front/Rear Weight Bracket**

The Front or Rear Weight Bracket provides additional weight for either the front or rear of your Series 2000 tractor. When using the rotary tiller it is recommended that you use the weight on the front of the tractor to offset the weight of the tiller. When using either the snow blower or snow blade use the weight on the rear of the tractor for additional traction.

Order weights separate. The bracket holds up to four 42 pound weights. Part number 759-3388.

**759-3745****759-3606****Rear Wheel Chains**

Use tire chains on your Series 2000 lawn tractor when moving snow or loose soil.

These chains have cross links every two side links for additional traction. The cross-links are case hardened and the entire chain is zinc plated.

759-3745 Chains 20 x 9.00 - 8 for Models AGS 2130, HDS 2135, AGS 2140 & HDS 2145.


759-3606 Chains 23 x 9.00 - 12 for Models AGS 2160, HDS 2165 & HDS 2185.

**759-3699 & 759-3700
Wheel Cover (set of 4)**

Tractor	Wheel Cover Set of 4
AGS-2130	759-3699
HDS-2135	759-3699
AGS-2140	759-3699
HDS-2145	759-3699
AGS-2160	759-3700
HDS-2165	759-3700
HDS-2185	759-3700

Extra Retainers 727-0425B

Dress up your Series 2000 tractor with a set of four high impact Cub Cadet beige wheel covers.

**190-299
Ag Tread Tires**

Top quality Ag tread tires with 23 degree traction bars. Overlapping open-faced bar pattern with self-cleaning tread. 23 x 8.50 - 12.

Set of two mounted on rims.


Models:

AGS-2160


HDS-2165

HDS-2185

Only



190-304 Rotary Tiller



This 28" rotary tiller is driven by a V-belt from the tractor's electric clutch and features Reverse Direction Tines for deeper tilling on the first pass. The offset design covers tracks and the end drive leaves no untilled center strip. Tines are 14" in diameter and are driven by a sealed chain drive transmission. The rotary tiller is lifted with an electric lift which is included.

Ideal for preparing seedbeds, and cultivating with compost and garden residue. It is recommended that you also use the front weight bracket (190-307) and two 42 pound weights (759-3388). For additional traction you may wish to use Ag tires or chains.

Tilling depth approximately 6".


190-303 40" Snow Thrower

Not available until fall 1994. Specifications subject to change.

The Cub Cadet two stage snow thrower operates from the electric PTO and is raised and lowered with the spring assisted lift handle on the right side of the tractor. The chute can be rotated from the operator's position with the hand crank on the left side of the tractor.

The snow thrower attachment features adjustable skid shoes, replaceable scraper blade, ball bearing mounted augers and adjustable deflector on the chute.

NOTE: Chains and rear weight bracket with suitcase weights must be used.




Housing Width	Housing Height	Ground Clearance	Auger Diameter	Impeller Diameter	Chute Diameter	Chute Rotation Degrees
40"	18.5"	4.75"	14"	13.5"	5.5"	210

Cub Cadet

Power Equipment

Series 2000 TRACTORS LAWN TRACTORS




190-220 Sweeper 32" Swath


190-222 Sweeper 38" Swath

Housing/Frame:	Heavy Ga. Steel Construction	Heavy Ga. Steel Construction
Hopper/Bag:	Heavy Ga. Zinc Plated Steel Tubing Frame with Replaceable Vinyl Bag, Dumps from the Seat	Heavy Ga. Zinc Plated Steel Tubing Frame with Replaceable Vinyl Bag, Dumps from the Seat
Windscreen:	Vinyl Cover Furnished	Vinyl Cover Furnished
Capacity:	Approx. 10 Cu. Bu.	Approx. 12 Cu. Bu.
Brushes:	32" Swath with Four Large (10") Replaceable Poly Brushes	38" Swath with Four Large (12") Replaceable Poly Brushes
Brush to Wheel Ratio:	4.25:1	4.25:1
Height of Adj.:	Infinite Brush Height Adjustment with Slide Control Knob	Infinite Brush Height Adjustment with Slide Control Knob
Tires:	Oversize 10" x 2" Semi-pneumatic	Oversize 11" x 2.5" Semi-pneumatic
Hub Caps:	None	Yes—Zinc Plated Steel
Width O.A.:	Approx. 38"	Approx. 47"
Finish:	Baked Enamel	Baked Enamel
Shipping Weight:	63 Pounds	92 Pounds

190-653 190-368 Carts



Model 190-653
10 Cubic Foot Cart



Model 190-368
10 Cubic Foot
Heavy Duty Cart

Model No.	Bed Gauge	Width	Length	Height	Tailgate	Tires	Axle	Capacity
190-653	18 GA.	32-1/2"	49"	12"	REMOVABLE	16 X 4.00	3/4"	750 LBS.
190-368 HEAVY DUTY	16 GA.	32-1/2"	49"	12"	REMOVABLE	16 X 6.50	1"	1,200 LBS.

Cub Cadet carts are designed to make your yard tasks easier. Pick either cart that will pull behind any of the lawn tractors.

Cub Cadet

Series 2000 TRACTORS LAWN TRACTORS

Power Equipment

Power Equipment

MOWERS, BAGGERS AND MULCHERS

MODEL NO.	38" DECK 190-328	MULCHER 190-314	38" DECK 190-357	42" DECK 190-320	MULCHER 190-315	44" DECK 190-358	44" DECK 190-318	46" DECK 190-336	46" DECK 190-321	48" DECK 190-317	ADAPTER 190-323	50" DECK 190-359	ADAPTER 190-360	54" DECK 190-374	ADAPTER 190-323
482															
580															
582															
680															
682															
782															
784															
882															
1050															
1204															
1210															
1211															
1340															
1440															
1512															
1535															
1541															
1604															
1606															
1641															
1710															
1711															
1712															
1806															
1810															
1811															
1812															
1860															
1861															
1862															
1862*															
1863															
1864															

*SERIAL NUMBER 821,101 & HIGHER

BAGGERS—GARDEN TRACTORS

DECK SIZE	DECK MODEL	BAGGER MODEL NO.	ADAPTER MODEL NO.	NOTES
38"	190-328	190-327	NONE	DEALER INVENTORY ONLY
38"	190-328	190-313	NONE	ORDER 38" BAGGING BLADES FROM PARTS
42"	190-320	190-313	NONE	42" BAGGING BLADES INCLUDED IN BAGGER KIT
46"	190-336	190-335	190-334	ADAPTER FOR TRACTORS WITH SERIAL NOS. 700,000 TO 800,000
46"	190-321	190-335	NONE	HIGH LIFT BLADES IN BAGGER KIT

Power Equipment

SNOW REMOVAL EQUIPMENT—GARDEN TRACTORS

MODEL NO.	SNOW THROWER 190-450	SNOW THROWER 190-451	SPRING ASSIST 190-449	SPRING ASSIST 190-528	42" SNOW BLADE 190-375	54" SNOW BLADE 190-376	SNOW BLADE ADAPTER 190-377	SNOW BLADE ADAPTER 190-316	HYDRAULIC ANGLE KIT 190-378	FRONT OUT-LET KIT 759-3493A**	CHAINS 23X10.5 759-3606	CHAINS 23X8.5 190-964	REAR WHEEL WGT. 190-370	REAR WGT. 190-447	FRONT WGT. 190-443
482															
580															
582															
680															
682															
782															
784															
882															
1050															
1204															
1210															
1211															
1340															
1440															
1512															
1535															
1541															
1604															
1606															
1641															
1710															
1711															
1712															
1806															
1810															
1811															
1812															
1860															
1861															
1862															
1862*															
1863															
1864															

*SERIAL NUMBER 821,101 & HIGHER

**759-3493A FRONT OUTLET KIT NEEDED FOR 190-378 HYDRAULIC ANGLE KIT

Power Equipment

WINDBREAKERS AND DELUXE CABS—GARDEN TRACTORS

MODEL NO.	WIND-BREAKER 759-3188	TOP 759-3190	BACK CURTAIN 759-3191	DELUXE CAB 759-3192	WIND- BREAKER 759-3584	TOP 759-3585	BACK CURTAIN 759-3586	DELUXE** CAB 759-3594	ELECTRIC WIPER 759-3595
482	■	■	■	■					
580	■	■	■	■					
582	■	■	■	■					
680	■	■	■	■					
682	■	■	■	■					
782	■	■	■	■					
784	■	■	■	■					
882	■	■	■	■					
1050	■	■	■	■					
1204	■	■	■	■					
1210	■	■	■	■					
1211	■	■	■	■					
1340					■	■	■	■	■
1440					■	■	■	■	■
1512	■	■	■	■					
1535					■	■	■	■	■
1541					■	■	■	■	■
1604	■	■	■	■					
1606	■	■	■	■					
1641					■	■	■	■	■
1710	■	■	■	■					
1711	■	■	■	■					
1712	■	■	■	■					
1806	■	■	■	■					
1810	■	■	■	■					
1811	■	■	■	■					
1812	■	■	■	■					
1860									
1861					■	■	■	■	■
1862					■	■	■	■	■
1862*					■	■	■	■	■
1863*					■	■	■	■	■
1864*					■	■	■	■	■

* SERIAL NUMBER 821,101 & HIGHER

** SERIAL NUMBER 821,008 & HIGHER MUST ORDER KIT 759-3690

Power Equipment

HITCHES, TILLERS, TIRES—GARDEN TRACTORS

MODEL NO.	TURF TIRES STD. EQUIP. 190-407	AG TIRES OPTIONAL 190-408	FRONT WGT. BRKT. (1) 190-443	REAR WGT. BRKT. (2) 190-447	3-PT. HITCH MAN. LIFT 190-388 (4)	3-PT. HITCH HYD. LIFT 190-389 (4)	MANUAL LIFT ASSIST 190-309	"A" FRAME ADAPT. (5) 190-924	SLEEVE HITCH 190-380	SLEEVE HITCH 190-381	SLEEVE HITCH 190-382	SLEEVE HITCH ADAPTER 190-386	ROTARY TILLER 190-400	TILLER ADAPTER (SLEEVE) 190-404	TILLER ADAPTER 190-405 (3-PT. HITCH)
482															
580															
582															
582 (3)															
680															
680 (3)															
682															
682 (3)															
782															
784															
782 (3)															
784 (3)															
882															
1050															
1204															
1210															
1211															
1340															
1440															
1512															
1535															
1541															
1604															
1606															
1641															
1710															
1711															
1712															
1806															
1810															
1811															
1812															
1860															
1861															
1862															
1862*															
1863*															
1864*															

*SERIAL NUMBER 821,101 & HIGHER

(1) HOLDS UP TO FIVE 42 POUND WEIGHTS, PART NO. 759-3388 CANNOT BE USED WITH SNOW BLADE OR THROWER.

(2) HOLDS UP TO FIVE 42 POUND WEIGHTS, PART NO. 759-3388 CANNOT BE USED WITH 3-POINT HITCH.

(3) SERIAL NUMBER 720,000 & HIGHER.

(4) IF YOUR TRACTOR IS EQUIPPED WITH EITHER 3-PT. HITCH YOU CAN USE THE FOLLOWING ATTACHMENTS:


190-920 12" MOLDBOARD PLOW

190-921 TANDEM DISC HARROW

190-922 SPRING SHANK CULTIVATOR

(5) TO MOUNT SLEEVE HITCH ATTACHMENTS TO A 3-POINT HITCH.

Mowing Decks— Garden Tractors




Model No.	Size	No. of Hardened Blades	Steel Gauge of Deck	Tapered Spindle Bearings	Greasable Spindle Bearings	No. of Gauge Wheels	Anti-Scalp Roller	Maximum Width Chute Raised	Optional Bagger
190-328	38"	2	13 GA.	YES	YES	2	YES	50"	YES
190-357	38"	3	11 GA.	YES	YES	0	YES	44"	NO
190-320	42"	2	13 GA.	YES	YES	2	YES	49"	YES
190-358	44"	3	12 GA.	YES	YES	4	YES	57"	NO
190-318	44"	3	12 GA.	YES	YES	4	YES	57"	NO
190-336	46"	3	12 GA.	YES	YES	4	YES	54"	YES
190-321	46"	3	12 GA.	YES	YES	4	YES	54"	YES
190-317	48"	3	11 GA.	YES	YES	4	YES (2)	51"	NO
190-359	50"	3	12 GA.	YES	YES	4	YES	61.5"	NO
190-324	54"	3	11 GA.	YES	YES	4	YES (2)	57"	NO

Baggers— Garden Tractors

Cub Cadet baggers are designed specifically for use with the high-vacuum decks, which quickly and cleanly whisk clippings through the non-clogging side discharge tube and into the bags.

Made of durable, molded plastic, this collector has three easy to dump bags so you can mow longer without stopping to empty clippings.

You can also use plastic garbage bag inserts for easy, one step collection. When the plastic bags are full, just lift out and your job is finished.



Deck Size	Deck Model	Bagger Model No.	Adapter Model No.	No. of Bags	Capacity	Notes
38"	190-328	190-327	NONE	3	9 BU.	DEALER INVENTORY ONLY
38"	190-328	190-313	NONE	3	9 BU.	ORDER 38" BAGGING BLADES FROM PARTS
42"	190-320	190-313	NONE	3	9 BU.	42" BAGGING BLADES INCLUDED IN BAGGER KIT
46"	190-336	190-335	190-334	3	9 BU.	ADAPTER FOR TRACTORS WITH SERIAL NOS. 700,000 TO 800,000
46"	190-321	190-335	NONE	3	9 BU.	HIGH LIFT BLADES IN BAGGER KIT
46"	190-321	190-335	NONE	3	9 BU.	HIGH LIFT BLADES IN BAGGER KIT

AS LAWNS CONTINUE TO GROW, SO DO LANDFILLS. AS A RESULT, MANY COMMUNITIES NO LONGER PROVIDE PICKUP OF GRASS REFUSE. AND EVERY YEAR, MORE COMMUNITIES JOIN THE LIST. SO WHAT DO YOU DO WITH YOUR CLIPPINGS? CUB CADET MULCHING KITS PROVIDE AN ALTERNATIVE TO BAGGING.

190-314

190-315

Mulcher Kits—

Using Your Mulching Attachment


For effective mulching, do not cut wet grass because it tends to stick to the underside of the mower deck, preventing proper mulching of grass clippings. New or thick grass may require a narrower cut. The ground speed should be adjusted to the condition of the lawn. If mowing has been delayed and the grass has been allowed to grow in

excess of 4", using your mulcher attachment is not recommended. Use the standard blade to reduce the grass height to 3.25" maximum before mulching.


This attachment is designed to be operated at full throttle to give you the best cut and do the most effective job of mulching.

NOTE: On some 38" decks it may be necessary to drill a 1/4" hole to mount the baffle.

Deck Size	Deck Model No.	Mulcher Kit No.
38"	190-328	190-314
42"	190-320	190-315
48"	190-317	590-502
54"	190-324	590-503



Model
190-328
Shown



759-3606 Tire Chains

Use tire chains on your Cub Cadet garden tractor when moving snow or loose soil.

These chains have cross links every two side links for additional traction. The cross-links are case hardened and the entire chain is zinc plated.

Tire Size: 23 x 10.50-12

Part Number: 759-3606

190-375

190-376


Snow Blades

Cub Cadet spring trip front blades are year-round attachments. They grade loose soil and move snow. The blade has a spring loaded return to protect the blade and the tractor. The two springs are 1-1/2" by 8" long.

The two skid shoes are adjustable and replaceable. The scraper blade is also replaceable. The blade can be locked straight ahead or 30 degrees right and left. The blade is 15 inches high and is formed from 12 gauge steel that is protected with a baked enamel finish. The blade raises with the attachment lever.

NOTE: Chains and rear wheel weights or rear weight bracket and weights are recommended.

The 42" and 54" Snow Blade will fit on all garden tractors.



Blade Size	Blade Model No.	Adapter Model No.	Adapter* Model No.
42"	190-375	190-377	190-316
54"	190-376	190-377	190-316

*SERIAL NO. 821,101 & HIGHER


190-450

190-451

45" Snow Thrower

Parallel lift linkage assures the snow thrower is always at the correct angle to collect snow. The snow thrower operates from the electric power takeoff and can be lifted either mechanically or hydraulically, depending on your tractor.

Adjustable skid shoes, drift cutters and a replaceable scraper blade are standard equipment.



Housing Width	Housing Height	Ground Clearance	Auger Diameter	Impeller Diameter	Chute Diameter	Chute Rotation Degrees
45"	18.5"	4.5"	16"	14.5"	6"	210


Model Number: 190-450 Snow Thrower, Serial Number 700,000 to 821,059

Model Number: 190-451 Snow Thrower, Serial Number 821,101 & higher

NOTE: Tractors not equipped with a hydraulic lift system must order either a 190-449 or 190-528 Spring Assist Kit. See the chart on page 20 for the kit needed on your tractor.

Chains and either wheel weights or a rear weight bracket and suitcase weights must be used with your tractor and snow thrower.

See page 49 for conversion between model 190-450 and 190-451.

**759-3584
Windbreakers**

Ride in full comfort while performing those cold weather chores. Heavy vinyl coated nylon material provides maximum protection from icy winds. Wrap around windshield assures excellent visibility in all directions.

Yellow vinyl with Cub Cadet logo.

Garden Tractors With Serial Numbers 700,000 to 799,999 (Refer to Windbreaker Chart for Tractor Model Numbers)

Windbreaker—Part Number 759-3188

Top—Part Number 759-3190

Back Curtain—Part Number 759-3191

Garden Tractors With Serial Numbers 800,000 & Higher (Refer to Windbreaker Chart for Tractor Model Numbers)

Windbreaker—Part Number 759-3584

Top—Part Number 759-3585

Back Curtain—Part Number 759-3586

**759-3192
759-3594
Deluxe Cab**

Specially designed cab of glass, steel, and tear-resistant yellow vinyl, laminated to tough nylon. Tempered, tinted safety glass windshield, with hand-operated windshield wiper.

Garden Tractors With Serial Numbers 700,000 to 799,999 order the following Cab:

Part Number 759-3192

Garden Tractors With Serial Numbers 800,000 and Higher order the following Cab:

Part Number 759-3594

Garden Tractors With Serial Numbers 821,000 and Higher must also order the following Kit:
759-3690


A 12-volt electric wiper is available as an option for Deluxe Cab Part Number 759-3594.

Part Number 759-3595

190-443**Front Weight Bracket Kit**

Front weight bracket kit recommended for use with any rear mounted attachments. Order weights separate. Bracket holds up to five 42 pound weights.

42 Pound Weight (each) Part Number: 759-3388

**190-447****Rear Weight Bracket Kit**

Rear weight bracket kit recommended for use with front mounted attachments such as the snow blade or snow thrower. Order weights separate. Bracket holds up to five 42 pound weights.

The rear weight bracket and weights have the advantage of being easier to install and remove. It also does not extend beyond the width of the tractor tires.


Either the rear weight bracket and weights or the wheel weights are required when using snow removing attachments.

42 Pound Weights (each) Part Number: 759-3388

190-370**Wheel Weight Set**

These wheel weights are ferrous filled in an ABS plastic housing. They weigh 75 pounds each and come with mounting hardware.

Either the rear weight bracket and weights or the wheel weights are required when using snow removing attachments.



190-449**190-528**

Spring Assist Kit for Tractors with Mechanical Attachment Lift

The spring assist kit uses a booster spring to reduce the effort needed to lift the snow thrower using the mechanical attachment lift on the tractor.

Model Number: 190-449 (Serial No. 821,100 and Below)

190-528 (Serial No. 821,101 and Higher)

**190-378****759-3493**

Hydraulic Angle Kit and Front Outlet Kit

The hydraulic angle kit allows you to control the angle of either snow blade from straight ahead to 30 degrees left or right.


Your tractor must be equipped with front outlets to operate the hydraulic angle kit. If your tractor is not equipped with hydraulic front outlet, see the chart on Snow Removal Equipment for the front outlet kit.

NOTE: Not all garden tractors can be equipped with hydraulic front outlets.

Hydraulic Angle Kit Model Number: 190-378

Front Outlet Kit Part Number: 759-3493A

See chart on page 20 for the tractor requiring front outlet kit.

**759-3700**

Wheel Cover (set of 4)

Tractor	Wheel Cover
	Set of 4

Extra Retainers 727-0425B

Dress up your Series 2000 tractor with a set of four high impact Cub Cadet beige wheel covers.



190-388**190-389**


3-Point Hitches

Category "O" 3-point hitches are available for all Cub Cadet tractors with a serial number 720,000 and higher.

Used for the rotary tiller, moldboard plow, disc harrow or cultivator.

For tractors with a mechanical lift (hand operated).
Model Number: 190-388 (Serial No. 821,101 & Below)

For tractors with a hydraulic lift.
Model Number: 190-389




For tractors with a mechanical lift and a Serial No. 821,101 and higher use 190-389 3-point hitch plus 190-309 manual lift assist.

190-924

"A" Frame Adapter

The "A" Frame Adapter can be used to attach sleeve hitch attachments to the 3-point hitch.

Can be used on either Model Number 190-388 or 190-389 3-point hitches.

**190-380****190-381****190-382**

Sleeve Hitches

Model Numbers 782, 784, 1712 With Serial Numbers 719,999 and below.


Model Number: 190-382

Model Numbers 1204, 1604, 482, 580 & 582 Special.

Model Number: 190-380


Model Numbers 1282, 582, 680, 682, 1710 With Serial Numbers 719,999 and below.


Model Number: 190-381

**190-386**

Sleeve Hitch Adapter

The Sleeve Hitch Adapter is needed to attach sleeve hitch attachments to the models 190-380, 190-381 and 190-382 Sleeve Hitches.




190-400**8 H.P. Rotary Tiller**

The toughness is built into this rugged rotary tiller from the ground up. Two chains for each of the three stages of the 3-step chain reduction drive power the 12 ground-biting tines. Tine engagement and tilling depth are easily adjusted from the operator's position. Maximum tilling depth approximately 6". The tiller prepares an excellent seedbed in one pass, and its 38" tilling width covers rear wheel tracks. Tine speed is 250 r.p.m. Outboard bearings are mounted on the ends of the shaft. Standard equipment includes a hitch kit, a rake tine shield, and 14" diameter tines. Powered by a 8 h.p. Briggs & Stratton engine.

Tiller Adapting Package for 3-Point Hitch Cat. "O," Model Number 190-405.

Tiller Adapting Package for Sleeve Hitch, Model Number 190-404.

NOTE: To attach the 8 H.P. Rotary Tiller to your Garden Tractor, you must have either a Sleeve Hitch (Model Number 190-380, 190-381 or 190-382) or a 3-Point Hitch (190-388 or 190-389).

**190-407****190-409****Ag Tires and Turf Tires**

Top quality turf tires 23 x 10-12 mounted on rims. Model Number for a set of two: 190-407

Top quality ag tread tires for additional traction for garden chores. 23 x 10-12 mounted on rims. Model Number for a set of two: 190-409

Tractor equipped with turf tires from the factory.

MOWERS—SUPER GARDEN TRACTORS

MODEL NO.	42" REAR MOWER 190-349	3-PT. HITCH 190-383	REAR PTO 190-433	46" DECK ADAPTER 190-336	46" DECK ADAPTER 190-332	46" DECK ADAPTER 190-321	46" DECK ADAPTER 759-3673 **	48" DECK ADAPTER 190-317	48" DECK ADAPTER 190-322	50" DECK ADAPTER 190-359	50" DECK ADAPTER 190-361	54" DECK ADAPTER 190-324	54" DECK ADAPTER 190-322	54" DECK ADAPTER 759-3602 **	60" DECK ADAPTER 190-325	60" DECK ADAPTER 190-319	60" DECK ADAPTER 190-374	60" DECK ADAPTER 190-385
982	■	■	■	■	■					■	■	■	■	■	■	■	■	■
984	■	■		■	■					■	■	■	■	■	■	■	■	■
986	■	■		■	■					■	■	■	■	■	■	■	■	■
1572	■	■	■	■	■					■	■	■	■	■	■	■	■	■
1772	■	■	■	■	■					■	■	■	■	■	■	■	■	■
1782	■	■	■	■	■					■	■	■	■	■	■	■	■	■
1782*	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
1872	■	■	■	■	■					■	■	■	■	■	■	■	■	■
1882	■	■	■	■	■					■	■	■	■	■	■	■	■	■
1912	■	■	■	■	■					■	■	■	■	■	■	■	■	■
1914	■	■	■	■	■					■	■	■	■	■	■	■	■	■
2072	■	■	■	■	■					■	■	■	■	■	■	■	■	■
2082	■	■	■	■	■					■	■	■	■	■	■	■	■	■
2082*	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
2084	■	■	■	■	■					■	■	■	■	■	■	■	■	■
2182	■	■	■	■	■					■	■	■	■	■	■	■	■	■
2182*	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■

*SERIAL NUMBER 821,101 & HIGHER

**ORDER THROUGH PARTS DEPOT

BAGGERS—SUPER GARDEN TRACTORS

DECK SIZE	DECK MODEL	BAGGER MODEL NO.	ADAPTER MODEL NO.	NO. OF BAGS	CAPACITY
46"	190-336	190-330	190-329	3	9 BU.

Power Equipment
SNOW REMOVAL EQUIPMENT—SUPER GARDEN TRACTORS

MODEL NO.	SNOW THROWER 190-450	SNOW THROWER 190-451	SUPER GT ADAPTER 190-448	SUPER GT ADAPTER 190-529	54" SNOW BLADE 190-401***	HYDRAULIC ANGLE KIT 190-378	FRONT OUTLET KIT 759-3493A**	CHAINS 26 X 12 759-3605	REAR WHEEL WGTS. 75 LBS. 190-370
982	■		■		■	■		■	■
984	■		■		■	■		■	■
986	■		■		■	■		■	■
1572	■		■		■	■		■	■
1772	■		■		■	■		■	■
1782	■		■		■	■	■	■	■
1782*		■		■	■	■	■	■	■
1872	■		■		■	■		■	■
1882	■		■		■	■	■	■	■
1912	■		■		■	■		■	■
1914	■		■		■	■		■	■
2072	■		■		■	■		■	■
2082	■		■		■	■	■	■	■
2082*		■		■	■	■	■	■	■
2084		■		■	■	■	■	■	■
2182	■		■		■	■	■	■	■
2182*		■	■	■	■	■	■	■	■

* SERIAL NUMBER 821,101 & HIGHER

** 759-3493A FRONT OUTLET KIT NEEDED FOR 190-378 HYDRAULIC ANGLE KIT

*** SERIAL NUMBER 821,101 & HIGHER ORDER 603-0027 ADAPTER AND (2) 710-3250 SOCKET HEAD SCREWS

WINDBREAKERS AND DELUXE CABS—SUPER GARDEN TRACTORS

MODEL NO.	WIND-BREAKER 759-3189	TOP 759-3190	BACK CURTAIN 759-3191	DELUXE CAB IH-1131 905R1 (RED ONLY)	WIND-BREAKER 759-3584	TOP 759-3585	BACK CURTAIN 759-3586	DELUXE CAB 759-3594	ELECTRIC WIPER 759-3595
982	■	■	■	■					
984	■	■	■	■					
986	■	■	■	■					
1572	■	■	■	■					
1772	■	■	■	■					
1782					■	■	■	■	■
1782*					■	■	■	■	■
1872	■	■	■	■					
1882					■	■	■	■	■
1912	■	■	■	■					
1914	■	■	■	■					
2072	■	■	■	■					
2082					■	■	■	■	■
2084					■	■	■	■	■
2182					■	■	■	■	■
2182*					■	■	■	■	■

*SERIAL NUMBER 821,101 & HIGHER

HITCHES, TILLERS, TIRES—SUPER GARDEN TRACTORS

MODEL NO.	TURF TIRES STD. EQUIP. 190-408	AG TIRES OPTIONAL 190-410	FRONT WGT. BRKT. (1) 190-443	REAR WGT. BRKT. (4) 190-447	CAT "O" 3-POINT HITCH 190-383	"A" FRAME ADAPT. (2) 190-924	REAR PTO 2000 RPM 190-433	42" PTO DRIVEN TILLER (3) 190-308
982	■	■	■	■	■	■	■	■
984	■	■	■	■	■	■	■	■
986	■	■	■	■	■	■	■	■
1572	■	■	■	■	■	■	■	■
1772	■	■	■	■	■	■	■	■
1782	■	■	■	■	■	■	■	■
1872	■	■	■	■	■	■	■	■
1882	■	■	■	■	■	■	■	■
1912	■	■	■	■	■	■	■	■
1914	■	■	■	■	■	■	■	■
2072	■	■	■	■	■	■	■	■
2082	■	■	■	■	■	■	■	■
2084	■	■	■	■	■	■	■	■
2182	■	■	■	■	■	■	■	■

(1) HOLDS UP TO FIVE 42 POUND WEIGHTS, PART NUMBER 759-3388.

(2) USED TO MOUNT SLEEVE HITCH ATTACHMENTS TO A 3-POINT HITCH.


(3) FRONT WEIGHT BRACKET AND WEIGHTS MUST BE USED.

(4) HOLDS UP TO FIVE 42 POUND WEIGHTS, PART NUMBER 759-3388, CANNOT BE USED WITH 3-POINT HITCH.

Cub Cadet**Power Equipment**

SUPER GARDEN TRACTORS

Mowing Decks— Super Garden Tractors




Model No.	Size	Adapter Kit	No. of Hardened Blades	Steel Gauge of Deck	Tapered Spindle Bearings	Greasable Spindle Bearings	No. of Gauge Wheels	Anti-Scalp Roller	Maximum Width Chute Raised	Optional Bagger
190-321 (1)	46"	759-3673	3	12 GA.	YES	YES	4	YES	54"	YES
190-336 (2)	46"	190-332	3	12 GA.	YES	YES	4	YES	54"	YES
190-317 (1)	48"	190-322	3	11 GA.	YES	YES	4	YES (2)	51"	NO
190-359 (2)	50"	190-361	3	12 GA.	YES	YES	4	YES	61.5"	NO
190-324 (1)	54"	190-322	3	11 GA.	YES	YES	4	YES (2)	57"	NO
190-324 (2)	54"	759-3602	3	11 GA.	YES	YES	4	YES (2)	57"	NO
190-325 (1)	60"	190-319	3	11 GA.	YES	YES	4	YES (2)	64"	NO
190-374 (2)	60"	190-385	3	11 GA.	YES	YES	4	YES (2)	64"	NO

NOTE: 1. FOR SUPER GARDEN TRACTORS WITH SERIAL NUMBERS 821,101 & HIGHER.
 2. FOR SUPER GARDEN TRACTORS WITH SERIAL NUMBERS 821,100 & LOWER.
 See page 30 for mulching kits.

190-330

Baggers—Super Garden Tractors



Cub Cadet baggers are designed specifically for use with the high-vacuum decks, which quickly and cleanly whisk clippings through the non-clogging side discharge tube and into the bags.

Made of durable, molded plastic, this collector has three easy to dump bags so you can mow longer without stopping to empty clippings.

You can also use plastic garbage bag inserts for easy, one step collection. When the plastic bags are full, just lift out and your job is finished.

Deck Size	Deck Model	Bagger Model No.	Adapter Model No.	No. of Bags	Capacity
46"	190-336	190-330	190-329	3	9 BU.
46"	190-321	190-330	190-329	3	9 BU.


190-450

190-451

45" Snow Thrower

Parallel lift linkage assures the snow thrower is always at the correct angle to collect snow. The snow thrower operates from the electric power takeoff and can be lifted either mechanically or hydraulically, depending on your tractor.

Adjustable skid shoes, drift cutters and a replaceable scraper blade are standard equipment.



Housing Width	Housing Height	Ground Clearance	Auger Diameter	Impeller Diameter	Chute Diameter	Chute Rotation Degrees
45"	18.5"	4.5"	16"	14.5"	6"	210

Model Number: 190-450 Snow Thrower, Serial Number 700,000 to 821,059.

Model Number: 190-451 Snow Thrower, Serial Number 821,101 and higher.

Model Number 190-450 Snow Thrower, Serial Number 700,000 to 821,059. Use adapter 190-448.

Model Number 190-451 Snow Thrower, Serial Number 821,101 & higher. Use adapter 190-529.

Chains and either wheel weights or a rear weight bracket and suitcase weights must be used with your tractor and snow thrower. See page 49 for conversion between model 190-450 and 190-451.

190-401


54" Snow Blade

Cub Cadet spring trip front blades are year-round attachments. They grade loose soil and move snow. The blade has a spring loaded return to protect the blade and the tractor. The four springs are 1-1/2" by 11" long.

The two skid shoes are adjustable and replaceable. The scraper blade is also replaceable. The blade can be locked straight ahead or 30 degrees right and left from the operator's position. The blade is 19 inches high and is formed from 12 gauge steel that is protected with a baked enamel finish. The blade raises with the hydraulic lift system on the tractor.

Chains and either wheel weights or a rear weight bracket and suitcase weights must be used with your tractor and 54" snow blade.

Model Number: 190-401-100





Tractors with Serial No. 821,101 and higher order 603-0027 adapter and (2) 710-3250 socket head screws.

190-443**Front Weight Bracket Kit**

Front weight bracket kit recommended for use with any rear mounted attachments. Order weights separate. Bracket holds up to five 42 pound weights.

42 Pound Weight (each) Part Number: 759-3388

**190-447****Rear Weight Bracket Kit**

Rear weight bracket kit recommended for use with front mounted attachments such as the snow blade or snow thrower. Order weights separate. Bracket holds up to five 42 pound weights.

The rear weight bracket and weights have the advantage of being easier to install and remove. It also does not extend beyond the width of the tractor tires.


Either the rear weight bracket and weights or the wheel weights are required when using snow removing attachments.

42 Pound Weights (each) Part Number: 759-3388

190-370**Wheel Weight Set**

These wheel weights are ferrous filled in an ABS plastic housing. They weigh 75 pounds each and come with mounting hardware.

Either the rear weight bracket and weights or the wheel weights are required when using snow removing attachments.



**190-378
759-3493A**

Hydraulic Angle Kit and Front Outlet Kit


The hydraulic angle kit allows you to control the angle of either snow blade from straight ahead to 30 degrees left or right.

Your tractor must be equipped with front outlets to operate the hydraulic angle kit. If your tractor is not equipped with hydraulic front outlet, see the chart on Snow Removal Equipment for the front outlet kit.


NOTE: Not all garden tractors can be equipped with hydraulic front outlets.

Hydraulic Angle Kit Model Number: 190-378

Front Outlet Kit Part Number: 759-3493A

**759-3605**

Super Garden Tractor Tire Chains



Use tire chains on your Cub Cadet Super Garden Tractor when moving snow or loose soil.

These chains have cross links every two side links for additional traction. The cross links are case hardened and the entire chain is zinc plated.

Tire Size: 26 x 12-12

Part Number: 759-3605

**190-408
190-410**


Ag Tires and Turf Tires

Top quality turf tires 26 x 12-12 mounted on rims.
Model Number for a set of two: 190-408

Top quality Ag tread tires for additional traction for garden chores. 26 x 12-12 mounted on rims.

Model Number for a set of two: 190-410

Tractor equipped with turf tires from the factory.



Cub Cadet

Power Equipment

SUPER GARDEN TRACTORS



Dress up your super garden tractors with a set of four high impact Cub Cadet beige wheel covers.

759-3700

Wheel Cover (set of 4)

Tractor Wheel Cover
 Set of 4

Extra Retainers 727-0425B



190-924

"A" Frame Adapter

Used to attach sleeve hitch attachments to garden tractors and super garden tractors equipped with Cat. "O" three-point hitch.

190-349

Rotary Cutter—Rear Mounted

Cutting Width: 42"

Transport Width: 44"

Length (Including Wheels): 63"

Type Hitch: 3-Point, Cat. "O"

Drive: PTO Driven with Quick Release End Yoke
(Walterscheid)

Rear PTO Specifications: 1" Dia., 15 Splines

RPM: 2000

Rotation: Clockwise

Cutting Height: 1 to 6 inches

Gear Box: Heavy Duty, 2000 RPM

Rear Guide Wheels: 8.25 x 2-3/4"

Deck Thickness: 11 Gage


Deck raises with Three Point Hitch

42" Rotary Mower Model Number: 190-349

NOTE: Tractor must be equipped with the following:

3-Point Hitch	Model Number 190-383
Rear PTO Kit	Model Number 190-433
Front Weight	
Bracket	Model Number 190-493
Weights (Min. 3)	Model Number 759-3388

This deck is designed for heavy duty mowing especially in high grass, however, it is not intended to provide a finishing mower quality of cut as a mid-mount mower.



190-383**190-433****Three-Point Hitch
2000 RPM Rear PTO**

The 3-point hitch and the 2000 RPM rear power takeoff can be installed on your tractor by your Cub Cadet Servicing Dealer.


The 3-point hitch, Category "O" will allow you to use a variety of gardening tools with your Cub Cadet tractor such as a moldboard plow, spring shank cultivator or disc harrow.

The rear PTO powers the optional 42" rotary mower or 42" rotary tiller. The rear PTO has a separate electric engagement clutch.

NOTE: You must install the 3-point hitch to install the 2000 RPM rear PTO.

Three Point Hitch, Model Number: 190-383

2000 RPM Rear PTO, Model Number: 190-433

**190-308****42" PTO Driven Rotary Tiller**

The 42" rotary tiller can be mounted on any Super Garden Tractor that has the optional 3-Point Hitch (190-383) and 2000 RPM Rear PTO (190-433).

42" Width

11" Adjustable Offset

5 Flanges

20 Knives

Adjustable Skids for easy depth control

285 Pounds


End Driven for a smooth seedbed preparation

Chain Case uses #60 Chain

Category "O," 3-Point Hitch

2000 RPM Input Speed

15 Spline, 1" Diameter Drive Shaft



NOTE: It is recommended that the Front Weight Bracket (190-443) with a minimum of three 42 pound weights (759-3388) be used.

Cub Cadet


Power Equipment

SUPER GARDEN TRACTORS

759-3189

759-3584

Windbreakers



Ride in full comfort while performing those cold weather chores. Heavy vinyl coated nylon material provides maximum protection from icy winds. Wrap around windshield assures excellent visibility in all directions.

Yellow vinyl with Cub Cadet logo.

Garden Tractors With Serial Numbers 700,000 to 799,999 (Refer to Windbreaker Chart for Tractor Model Numbers)

Windbreaker—Part Number 759-3189

Top—Part Number 759-3190

Back Curtain—Part Number 759-3191

Garden Tractors With Serial Numbers 800,000 and Higher (Refer to Windbreaker Chart for Tractor Model Numbers)

Windbreaker—Part Number 759-3584

Top—Part Number 759-3585

Back Curtain—Part Number 759-3586

759-3594

IH-1131905R1

Deluxe Cab



Specially designed cab of glass, steel, and tear-resistant yellow vinyl, laminated to tough nylon. Tempered, tinted safety glass windshield, with hand-operated windshield wiper.

Super Garden Tractors With Serial Numbers 700,000 to 799,999 Order the following Cab:

Part Number: IH-1131 905R1

Note: Available in Red Only.

Super Garden Tractors With Serial Numbers 800,000 and Higher Order the following Cab:

Part Number: 759-3594

Super Garden Tractors With Serial Numbers 821,000 and Higher Must Also Order the following kit:

Kit: 759-3690

A 12-volt electric wiper is available as an option for Deluxe Cab Part Number 759-3594.



Part Number: 759-3595

Power Equipment

The attachments listed below can be used on all of the Garden or Super Garden Tractors. Further information on each item has been detailed on the following pages.

10 Cubic Foot Trailer	190-653	Pg. 42
10 Cubic Foot Trailer—Heavy Duty	190-368	Pg. 42
17 Cubic Foot Trailer—Heavy Duty	190-425	Pg. 42
32" Sweeper	190-220	Pg. 43
38" Sweeper	190-222	Pg. 43
36" Wide Roller	190-509	Pg. 44
30" Spike Lawn Aerator	190-655	Pg. 44
Broadcast Spreader	190-438	Pg. 44
12" Moldboard Plow	190-920 NOTE: 1	Pg. 45
Tandem Disc Harrow	190-921 NOTE: 1	Pg. 45
Spring Shank Cultivator	190-922 NOTE: 1	Pg. 45


NOTE 1: Tractor must be equipped with a Three-Point Hitch, Model Numbers: 190-388, 190-389 or 190-383.




Cub Cadet**Power Equipment**

GARDEN TRACTORS SUPER GARDEN TRACTORS


Carts



Model 190-653
10 Cubic Foot Cart




Model 190-368
10 Cubic Foot Heavy Duty Cart



Model 190-425
17 Cubic Foot Heavy Duty Cart

Model No.		Bed Gauge	Width	Length	Height	Tailgate	Tires	Axle	Capacity
190-653		18 Ga.	32-1/2"	49"	12"	Removable	16 x 4.00	3/4"	750 Lbs.
190-368	Heavy Duty	16 Ga.	32-1/2"	49"	12"	Removable	16 x 6.50	1"	1,200 Lbs.
190-425	Heavy Duty	16 Ga.	36-1/2"	61"	14"	Removable	16 x 6.50	1"	1,500 Lbs.

Cub Cadet trailers are designed to make your yard tasks easier. Pick either trailer that will pull behind any of the Garden or Super Garden Tractors.



190-220
Sweeper 32" Swath

190-222
Sweeper 38" Swath


Housing/Frame:	Heavy Ga. Steel Construction	Heavy Ga. Steel Construction
Hopper/Bag:	Heavy Ga. Zinc Plated Steel Tubing Frame with Replaceable Vinyl Bag Dumps from the Seat	Heavy Ga. Zinc Plated Steel Tubing Frame with Replaceable Vinyl Bag Dumps from the Seat
Windscreen:	Vinyl Cover Furnished	Vinyl Cover Furnished
Capacity:	Approx. 10 Cu. Bu.	Approx. 12 Cu. Bu.
Brushes:	32" Swath with Four Large (10") Replaceable Poly Brushes	38" Swath with Four Large (12") Replaceable Poly Brushes
Brush to Wheel Ratio:	4.25:1	4.25:1
Height of Adj.:	Infinite Brush Height Adjustment with Slide Control Knob	Precision Brush Height Adjustment with Slide Control Knob
Tires:	Oversize 10" x 2" Semi-pneumatic	Oversize 11" x 2.5" Semi-pneumatic
Hub Caps:	None	Yes—Zinc Plated Steel
Width O.A.:	Approx. 38"	Approx. 47"
Finish:	Baked Enamel	Baked Enamel
Shipping Weight:	63 Pounds	92 Pounds

Power Equipment

190-509
36" Wide Roller


Roller Drum: Dia. 24" x 36" Wide, Heavy Ga. Welded Steel
O.A. Width: Approx. 39-3/4"
Bearings: 1" I.D., Replaceable
Tow Hitch: Std. Pin Type—17/32" Hole
Weight w/Water: Up to 640 Lbs.
 (Note: May Be Filled with Sand)
Finish: Drum—Black, Hitch—Beige
Model Number: 190-509

The big 36" wide drum helps smooth existing lawns or set new seedbeds—weighs 85 lbs. empty or up to 400 lbs. when filled with water. Can also be sand-filled. Equipped with adjustable scraper blade for self-cleaning action. No special hitch required.

**190-224**
36" Lawn Aerator (Spike Type)

Frame: All Steel.
Transport Wheels: 1-3/4" Wide x 7" Dia.
O.A. Width: Approx. 46"
Tow Hitch: Std. 1/2" Pin Type—17/32" Dia. Hole
Spike Wheel: 9" Dia. Steel—36" Path
Finish: Baked Enamel—Flat Black
Approx. Sh. Wt.: 60 lbs.
Carton Size: 13"H x 10-1/2"W x 42" Lg.
 (3.32 Cu. Ft.)

Steel spikes puncture sod to allow oxygen, water and nutrients to reach the roots. Heavy gauge steel construction. Transport wheels. Fits any tractor with pin hitch. Shipping wgt. 60 lbs.

**190-438**
Broadcast Spreader


Year-Round Uses: Spreads Granulated Materials such as: Seed, Fertilizers, Insecticides, Herbicides, Sand and Ice Melters.

Frame: Heavy Ga. Steel Tubing
Hopper: Rustproof Polypropylene
Capacity: Approx. 160 Lbs. Granulated Fertilizer Covering Approx. 40,000 Sq. Ft.
Impeller: Rustproof Polypropylene
Gear Type: Direct Drive Sprocket
Spread Width: 10' to 12' Average; Varies with Fwd. Speed, Material and Flow Setting
Shut-Off Control: Positive On/Off, Easy to Reach, Stainless Flow Plate and Guides
Flow Rate: Easy to Read Calibrated Control Plate
Tires: 14.00" x 4.00" Pneumatic, Rib Tread
Axle: 3/4" Dia. Steel



Tow Hitch: Std. Pin Type—17/32" Dia.
Finish: Baked Enamel—Black, Zinc Chrome, Black Polypropylene
Model Number: 190-438

GARDEN TRACTORS SUPER GARDEN TRACTORS




190-920

12" Moldboard Plow

Rolling 11" coulters swing out for trash clearance, features a locking pin that prevents ride-up on the shaft and adjustments for landing and width of cut (up to 12" wide and 6" deep). High moldboard and beam clearance, replaceable share. Wheel weights and tire chains are recommended.

Model Number: 190-920




190-921

Tandem Disc Harrow

Four gangs with a total of 16 heat-treated 11" diameter discs can be moved horizontally from 40" to 48" wide and feature angle setting choices of ten, fifteen, or twenty degrees. Rugged steel frame holds concrete blocks for ballast.

Model Number: 190-921



190-922

Spring Shank Cultivator

Provides high clearance cultivation for corn, beans, tobacco and a variety of other crops. Includes eight spring steel shanks on adjustable frame—ideal for rock soil, 42" wide.

Model Number: 190-922

Older Cadet Rotary Mower Adapting Packages

Decks	Cadet Models Serial Numbers	Cadet Models Serial Numbers	Cadet Models Serial Numbers
38" Mowing Deck 190-357	800, 1000, 1200, 1250, 1450, 1650 Serial Numbers U530000 to U665000	86, 108, 109, 128, 129, 149, 169 Serial Numbers U400,001 to U529, 999	71, 102, 122, 123 72, 104, 105, 124, 125 73, 106, 107, 126, 127, 147 Serial Numbers U65458 to U400,000 (with quick attach)
44" Mowing Deck 190-358*	IH-62383C91 Front Drive Pkg. IH-545689R1 Rod IH-18481R1 Cotter Pin (2) IH-178373R1 Washers (2) IH-473462R4 Belt IH-473433R91 Pulley	IH-62383C91 Front Drive Pkg. IH-545689R1 Rod IH-18481R1 Cotter Pin (2) IH-178373R1 Washers (2) IH-490489R2 Belt IH-473433R91 Pulley	IH-473433R91 Pulley IH-490489R2 Belt Note: Use Old Undercarriage and Front Drive Pkg.*

*Deck 190-318 can also be used if you order the following parts in addition to the parts listed to adapt the 190-358 deck to your tractor.

- 1 ea. 703-0150 Offset Link
- 1 ea. 719-3008 Adjustable Link

*For service parts for the old undercarriage and front drive pkg., see section "B" of CPE-2.



GARDEN TRACTORS

ATTACHING A 1, 1A, 2 AND 2B TILLER TO A CURRENT TRACTOR

Power Equipment

190-371 TILLER

ADAPTING PACKAGES NEEDED TO FIT CUB CADET SERIAL NO. 400,001 TO 529,999

	190-381 Sleeve Hitch	190-382 Sleeve Hitch for Hyd. Lift	190-373 Adapt. Pkg.	IH-545638R3 Lift Bar	IH-62383C2 Mule Drive Pkg.	IH-549250R1 Belt	IH-485246R91 Gear Box Pulley	IH-548380R1 Spring Assist. Kit
86 Cadet ...	■		■	■	■	■	■	■
108 Cadet ..	■		■	■	■	■	■	■
109 Cadet ..	■		■	■	■	■	■	■
128 Cadet ..	■		■	■	■	■	■	■
129 Cadet ..		■	■	■	■	■	■	
149 Cadet ..		■	■	■	■	■	■	
169 Cadet ..		■	■	■	■	■	■	

ADAPTING PACKAGES NEEDED TO FIT CUB CADET SERIAL NO. 530,000 TO 665,000

	190-381 Sleeve Hitch	190-382 Sleeve Hitch	190-373 Adapt. Pkg.	IH-545638R3 Lift Bar	IH-62383C2 Mule Drive Pkg.	IH-61959C1 Belt	IH-485246R91 Gear Box Pulley	IH-548380R92 Spring Assist. Kit
800	■		■	■	■	■	■	■
1000	■		■	■	■	■	■	■
1200	■		■	■	■	■	■	■
1250	■		■	■	■	■	■	■
1450		■	■	■	■	■	■	■
1650		■	■	■	■	■	■	■

*Hyd. lift was optional on a 1250 Cub Cadet.

**Spring assist. is not needed if equipped with hyd. lift.

ADAPTING PACKAGES NEEDED TO FIT CUB CADET SERIAL NO. 665,001 TO 719,999

	190-381 Sleeve Hitch	190-382 Hyd. Lift Sleeve Hitch	190-373 Adapt. Pkg.	*190-385 Adapt. Pkg.	IH-548380R92 Spring Assist.	IH-135553C1 Belt	IH-132125C1 Bracket Ass'y.	
482	■		■	■	■	■	■	
582SP	■		■	■	■	■	■	
582	■		■	■	■	■	■	
682	■		■	■	■	■	■	
782		■	■	■	■	■	■	
1282	■		■	■	■	■	■	

*19X-385 not needed if unit already equipped with 38" mowing deck.

Numbers 1, 1A, 2 & 2B Tillers
Adapting Packages Needed to Adapt Old Tillers to New Cub Cadets with
Serial Numbers 720,000 & Higher

Tractor Model	190-388 3-Pt. Hitch	190-389 Hyd. 3-Pt. Hitch	190-309 Manual Lift Asst.	190-372 Adapt. Pkg.	190-385 Mule Drive "	IH-13554C1 5/8" Drive Pulley	IH-485286R3 Lower Supt. Ass'y.	IH-106819C1 V-Belt	PTO Clutch 717-3313	PTO Clutch 717-3044
1050	■			■	■	■	■	■		
1204	■			■	■	■	■	■		
1211		■		■	■	■	■	■		
1282, 1210	■			■	■	■	■	■		
1335	■			■	■	■	■	■		
1340	■			■	■	■	■	■		
1440*		■	■	■	■	■	■		■	
1535	■			■	■	■	■	■		
1541		■		■	■	■	■	■		
1604	■			■	■	■	■	■		
1641*		■		■	■	■	■		■	
1712		■		■	■	■	■	■		
1806	■			■	■	■	■	■		
1810	■			■	■	■	■	■		
1811		■		■	■	■	■	■		
1812		■		■	■	■	■	■		
1860	■			■	■	■	■	■		
1861*		■		■	■	■	■			■
1862		■		■	■	■	■	■		
1862*		■		■	■	■	■			■
1863*		■		■	■	■	■			■
1864*		■		■	■	■	■			■
582, 1606	■			■	■	■	■	■		
582SP	■			■	■	■	■	■		
682, 1710	■			■	■	■	■	■		
782, 1711		■		■	■	■	■	■		
782D		■		■	■	■	■	■		
882D, 1512		■		■	■	■	■	■		

*Serial Number 821,101 & higher—it is necessary to change the clutch to the smaller diameter so the V-belt will fit and to have the tiller operate at the correct speed.

**190-385 mule drive package not needed if unit is equipped with a 3-blades 38" deck.